



<b>Chemistry</b> .....	Li-ion
<b>Battery Type</b> .....	D / HR20
<b>Battery Voltage</b> .....	1.5 V
<b>Battery Capacity</b>	
<i>Discharge at 450mA, to EV 1.1V at 20°C</i>	
Nominal .....	5000 mAh
Minimal .....	4900 mAh
<b>Discharge</b>	
Max. continuous discharge current....	2000 mA
Nom. Discharge current .....	450 mA
Cut-off Voltage .....	1.10 V
<b>Charge (USB-C connector)</b>	
Input voltage / Current .....	5V, 500 mA
Charge time .....	2-3 h
<b>Battery Specifications</b> .....	Lithium Polymer
Voltage / Capacity .....	3.7 V; 2000 mAh
Energy .....	7400 mWh
<b>Temperatures Ranges</b>	Min                      Max
Storage .....	-20°C                      25°C
Charge .....	0°C                      45°C
Discharge .....	-20°C                      60°C
<b>Weight (Approx.)</b> .....	67.5 ±0.5g
<b>Dimensions</b> .....	Ø33.5(d1) x 61.0(h2) mm (±0.5)
<b>Shelf life</b> .....	≥ 1000 cycles
<b>LED Indication</b>	
Charging in progress .....	LED Flashing
Charging Completed .....	LED Stay on
Error .....	LED Flashing rapidly
<b>Protection</b> .....	Short-circuit Over-Charge Over Discharge Over Voltage
<b>Product content</b> .....	2 x D Li-ion USB-C Rechargeable 1 x 2 in 1 USB-C cable
<b>Caution</b> .....	Do not charge the battery with a battery charger. The USB-C Li-Ion rechargeable battery can only be charged using the USB to USB-C cable provided